## **Bearing Unit**

LENN 210 2T.H **Bearing Unit** 

**Universal Solution** 


Technical	Specification

 $\bigcirc$ 

| N


L

LTotal length115 mmJDistance between the holes157 mmNHole diameter19 mmAOverall width55 mmA1Total housing width40 mmA2Housing flange thickness18 mm	d	Bore diameter	50 mm
JDistance between the holes157 mmNHole diameter19 mmAOverall width55 mmA1Total housing width40 mmA2Housing flange thickness18 mmBWidth inner ring51.6 mmkgMass2.13 kgCdynDynamic load rating35.1 kNCoStatic load rating23.2 kN	Н	Housing height	195 mm
NHole diameter19 mmAOverall width55 mmA1Total housing width40 mmA2Housing flange thickness18 mmBWidth inner ring51.6 mmkgMass2.13 kgCdynDynamic load rating35.1 kNCoStatic load rating23.2 kN	L	Total length	115 mm
AOverall width55 mmA1Total housing width40 mmA2Housing flange thickness18 mmBWidth inner ring51.6 mmkgMass2.13 kgCdynDynamic load rating35.1 kNCoStatic load rating23.2 kN	J	Distance between the holes	157 mm
A1Total housing width40 mmA2Housing flange thickness18 mmBWidth inner ring51.6 mmkgMass2.13 kgCdynDynamic load rating35.1 kNCoStatic load rating23.2 kN	Ν	Hole diameter	19 mm
A2Housing flange thickness18 mmBWidth inner ring51.6 mmkgMass2.13 kgCdynDynamic load rating35.1 kNCoStatic load rating23.2 kN	А	Overall width	55 mm
BWidth inner ring51.6 mmkgMass2.13 kgCdynDynamic load rating35.1 kNCoStatic load rating23.2 kN	A1	Total housing width	40 mm
kgMass2.13 kgCdynDynamic load rating35.1 kNCoStatic load rating23.2 kN	A2	Housing flange thickness	18 mm
CdynDynamic load rating35.1 kNCoStatic load rating23.2 kN	В	Width inner ring	51.6 mm
Co Static load rating 23.2 kN	kg	Mass	2.13 kg
	Cdyn	Dynamic load rating	35.1 kN
Pu Fatigue load limit 0.974 kN	Со	Static load rating	23.2 kN
	Pu	Fatigue load limit	0.974 kN









## Sealing

## T SEAL / T SEAL (2T)

3-lip seal on the both side of the bearing, provides equal protection against contamination. Recommended for application where the possibility of contamination is the same on the both side.

